

EMERGENCY PERMIT

Page 2

equipment shall be installed and maintained to provide access for measurement of water levels.

All water wells constructed within the state shall meet the minimum standards for construction and maintenance as provided under RCW 18.104 (Washington Water Well Construction Act of 1971) and Chapter 173-160 WAC (Minimum Standards for Construction and Maintenance of Water Wells).

4. A suitable flow meter approved by the Department of Ecology shall be installed and maintained in accordance with WAC 508-64-020 through WAC 508-64-040. (Installation, operation and maintenance requirements attached hereto.)

Whenever water is being diverted, bi-weekly (every two weeks) readings of the flow meter shall be recorded and maintained by the permittee. These readings shall be documented by time, date, withdrawal rate, and the person conducting the measurements. Copies of these records shall be submitted to the Department of Ecology at the end of the 1994 irrigation season.

5. The quantity of water to be withdrawn is limited to 500 gpm and ~~169~~ ^{209.2} acre-feet per year. This is based upon the instantaneous quantity requested in the application and an annual quantity of 0.8 acre-feet per acre.

6. Water is to be used for supplemental irrigation of ~~210.3~~ ^{261.5} acres from May 15 to December 1, 1994. The place of use is described as follows:

Parcel A

The E $\frac{1}{2}$ SE $\frac{1}{4}$ and the SE $\frac{1}{4}$ SW $\frac{1}{4}$ and the SW $\frac{1}{4}$ SE $\frac{1}{4}$ lying easterly of Main Roza Canal, less 2.51 feet for road, in Section 27, T. 10 N., R. 26 E.W.M.

Parcel B

That portion of the NW $\frac{1}{4}$ SE $\frac{1}{4}$ described as follows: Beginning at the southeast corner of said subdivision; thence N 70° W to a portion on the southeasterly right of way line of Roza Main Canal; thence southerly and westerly along said right of way to the south line of said NW $\frac{1}{4}$ SE $\frac{1}{4}$; thence east along said south line to the point of beginning, in Section 27. T. 10 N., R. 26 E.W.M.

EMERGENCY PERMIT

Page 3

Parcel C

The SW $\frac{1}{4}$ and the W $\frac{1}{2}$ SE $\frac{1}{4}$ of Section 26, T. 10 N., R. 26 E.W.M.

EXCEPT that portion beginning at the southeast corner of said W $\frac{1}{2}$; thence N 03°56'53" W along the east line of said W $\frac{1}{2}$ a distance of 1252.18 feet to the True Point of Beginning; thence S 86°44'18" W a distance of 715.46 feet; thence N 09°11'19" E a distance of 382.16 feet; thence N 04°09'49" W a distance of 504.31 feet; thence N 35°01'11" W a distance of 504.49 feet to a point on the north line of said SE $\frac{1}{4}$; thence N 84°36'17" E along said north line a distance of 891.11 feet to the northeast corner of said W $\frac{1}{2}$; thence S 03°56'53" E along the east line of said W $\frac{1}{2}$ a distance of 1339.65 feet to the True Point of Beginning.

AND EXCEPT that portion of the SE $\frac{1}{4}$ beginning at the southeast corner of said W $\frac{1}{2}$ being the True Point of Beginning; thence S 86°44'18" W along the south line of said Section a distance of 412.12 feet; thence N 33°36'09" W a distance of 58.62 feet; thence N 61°22'08" W a distance of 94.28 feet; thence N 55°09'47" W a distance of 50.11 feet; thence N 50°42'17" W a distance of 50.18 feet; thence N 45°34'30" W a distance of 31.11 feet; thence N 38°26'41" W a distance of 234.35 feet; thence N 36°30'13" W a distance of 48.68 feet; thence N 32°23'30" W a distance of 50.14 feet; thence N 23°00'29" W a distance of 50.20 feet; thence N 15°54'48" W a distance of 49.37 feet; thence N 06°02'41" W a distance of 40.82 feet; thence N 07°44'44" E a distance of 50.25 feet; thence N 06°31'01" W a distance of 137.19 feet; thence N 09°11'19" E a distance of 476.49 feet; thence N 86°44'18" E a distance of 715.46 feet to a point on the east line of said W $\frac{1}{2}$; thence S 03°56'53" E along said east line a distance of 1252.18 feet to the True Point of Beginning.

AND EXCEPT that portion of Section 26 as described as follows: the southwest corner of said Section 26 being the True Point of Beginning; thence N 10°57'45" W along the west line of said Section a distance of 907.66 feet; thence S 89°07'49" E a distance of 304.96 feet; thence S 49°44'11" E a distance of 1273.55 feet to a point on the south line of said Section 26; thence S 86°42'55" W along said south line a distance of 1105.95 feet to the True Point of Beginning; ALL in Section 26, T. 10 N., R. 26 E.W.M., in Benton County, Washington.

Parcel D

That portion of the NE $\frac{1}{4}$ NW $\frac{1}{4}$ of Section 35, T. 10 N., R. 26 E.W.M., described as follows: Beginning at the northeast corner of said subdivision; thence S 90°00' W along the north line of said subdivision 806 feet to the True Point of Beginning; thence N 90°00' E 188 feet; thence S 0°25' W 291 feet; thence S 89°30' W 141 feet; thence northwesterly 310.5 feet; more or less, to the True Point of Beginning. AND an easement for road

EMERGENCY PERMIT

Page 4

purposes over and across presently existing road along the east side of said Section 35.

7. The irrigation water herein authorized to be withdrawn is supplemental to water made available under primary rights by the Roza Irrigation District. The only water herein permitted for withdrawal is water necessary to alleviate hardships and reduce burdens on water users arising from drought conditions. This amount shall not exceed 0.8 acre-feet per year per acre.
8. Withdrawal of water under this right may be limited or otherwise regulated in favor of senior rights.

You have the right to obtain review of this order. Request for review must be made, within thirty (30) days of receipt of this order, to the Washington Pollution Control Hearings Board, PO Box 40903, Olympia, Washington 98504-0903. Concurrently, a copy of the request must be sent to the Department of Ecology, PO Box 47600, Olympia, Washington 98504-7600. These procedures are consistent with the provisions of Chapter 43.21B RCW and the rules and regulations adopted thereunder.

Sincerely,



Doug Clausing
Section Manager
Water Resources Program

DC:gh
940567.wr4

Enclosures: Flow Measurement Record
Flow Meter Requirements
Ground Water Bulletin No. 1

cc: Yakama Indian Nation
Dale Bambrick
Wendell Hannigan